

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



(11) Publication number : 0 567 291 A2

(12) EUROPEAN PATENT APPLICATION

(21) Application number : 93303042.1

(51) Int. Cl.⁵ : G06F 15/21

(22) Date of filing : 20.04.93

(30) Priority : 23.04.92 JP 104310/92

(43) Date of publication of application : 27.10.93 Bulletin 93/43

(84) Designated Contracting States : GB

(71) Applicant : HITACHI, LTD.
6, Kanda Surugadai 4-chome
Chiyoda-ku, Tokyo 101 (JP)


(72) Inventor : Kumomura, Akira
6-14-1-202 Kichijoji
Kitamachi-5-chome, Musashino-shi (JP)
Inventor : Hamaguchi, Tsuyoshi
42-47 Urugacho-5-chome
Yokosuka-shi (JP)

(74) Representative : Calderbank, Thomas Roger et al
MEWBURN ELLIS 2 Cursitor Street
London EC4A 1BQ (GB)

(54) Integrated transaction information processing system.

(57) A central processing apparatus (3), a distributed processing apparatus (4), and a transaction processing terminal (5) constitute a transaction processing system. A central processing apparatus (6), a distributed processing apparatus (7), and an information supply terminal (8) constitute an information supply system. These systems are mutually connected. A customer data base (62, 72, or 43) stores customer attributes or service information for each customer. A service information conditioning file (72 or 42) stores target customer conditions for the respective service. The transaction processing terminal (5) will communicate with the central processing apparatus (3) and the like to perform the transaction process for the customer who visits the branch of the financial institute, and at the same time, to retrieve the customer data bases (62, 72), and the file (72) belonging to the information supply system so as to display service information on the display (53).

FIG. 1



EP 0 567 291 A2

The present invention relates to an integrated information processing system in which a transaction processing system of, for instance, a financial institution is mutually connected to an information supply system thereof. More specifically, the present invention is directed to an integrated information processing system suitable for performing a process requested by a person and simultaneously for quickly supplying information fitted to the person.

In general, the conventional transaction processing system of the financial institution and the conventional information supply system have been independently constituted as a separate system. In the conventional transaction processing system, the normal transaction process can be merely performed and the transaction content requested by the customer can be merely checked. On the other hand, in the terminal unit of the information supply system, the financial market information and the financial service information are merely provided to the respective customers.

As described above, in accordance with the conventional system architecture, no specific care is taken to supply various sorts of financial information to the respective customers, while utilizing the transaction terminal units of the branches at the financial institutions. Furthermore, the staff member at the branch executes the normal transaction to the customers who visit the branch, but at the same time, cannot supply such a financial information suitable for needs of these customers, namely cannot provide a careful service to these customers.

For instance, there has been described in JP-A-62-111348 such a computer integrated system that different sorts of data bases are used in the plural computer systems. However, no description is made that the transaction processing system of the financial institution is combined with the information supply system thereof.

An object of the present invention is to provide an integrated information processing system capable of simultaneously and quickly providing a transaction processing operation and sales information to a customer in a transaction terminal unit installed at a branch of a financial institution.

A first aspect of the present invention is to provide such an integrated information processing system for retrieving sales information corresponding to a customer and also customers having the same sales information, thereby to output the retrieved sales information.

A second aspect of the present invention is to provide an integrated information processing system for retrieving sales information of a customer belonging to the same customers, thereby to output the retrieved sale information.

A third aspect of the present invention is to provide an integrated information processing system for retrieving sales information fitted to a condition of a

customer, thereby outputting the retrieved sales information.

In the drawings

Fig. 1 schematically illustrates an overall arrangement of an integrated information processing system according to one embodiment of the present invention;

Fig. 2 schematically represents a detailed arrangement of the respective apparatuses employed in the integrated information processing system shown in Fig. 1;

Fig. 3 schematically shows an example of an arrangement for a customer data base employed in the integrated information processing system of Fig. 1;

Fig. 4 schematically indicates an example of an arrangement for a service information file employed in the integrated information processing system of Fig. 1;

Figs. 5A and 5B are flow charts for explaining processing operations of information supply according to the integrated information processing system of Fig. 1; and

Figs. 6A and 6B are display screens of designation for contents of transaction process and of designation for sales information retrieval.

An integrated information processing system according to one preferred embodiment of the present invention will now be described in detail with reference to the accompanying drawings.

Fig. 1 schematically shows an overall arrangement of the integrated information processing system according to the embodiment of the present invention. In Fig. 1, a transaction processing system 1 is connected via a communication network 9 to an information supplying system 2. The transaction processing system 1 includes by a central processing apparatus 3, a plurality of distributed processing apparatuses 4 connected to the central processing apparatus 3 through the network 9, and one or more transaction process terminal units 5 connected to each apparatus 4. The information supplying system 2 includes a central processing apparatus 6, a plurality of distributed processing apparatuses 7 connected to the central processing apparatus 6 through the network 9, and one or more information supply terminal units 8 connected to each apparatus 7. The terminal unit 5 is installed at a branch of a financial institution and operated by a staff member, whereas the terminal unit 8 is installed at a corner of the branch and operated by a customer and a staff member. Also the distributed processing apparatuses 4 and 7 are installed at the branch, and are connected via a transmission path 10 such as a LAN (Local Area Network) to the terminal units 5 and 8, respectively. The central processing apparatuses 3 and 6 are installed at a center of the financial institute, and are connected via a communication network 9 to the distributed process-

ing apparatuses 4 and 7 provided at the respective branches of the financial institute. It may be conceived that the distributed processing apparatuses 7 and the terminal units 8 of the information supplying system 2 are integrally formed to constitute a workstation.

Fig. 2 schematically indicates a detailed arrangement of the central processing apparatus, distributed processing apparatus and terminal unit shown in Fig. 1.

In the transaction processing system 1, the central processing apparatus 3 includes a processing unit 31, a general ledger file 32, and an interface unit 33. Further, the processing unit 31 includes an overall control unit 311 for controlling an entire portion of the central processing apparatus, a file processing unit 312 for accessing the file 32, and a data transmitting/receiving unit 313 for transmitting/receiving data with the interface unit 33. The distributed processing apparatus 4 includes a financial services file 42, a customer data base 43, and an interface unit 44. The processing unit 41 includes an overall control unit 411 for controlling an overall portion of the distributed processing apparatus, a retrieve processing unit 412 for retrieving a financial service from the file 42 and the customer data base 43, and a data transmitting/receiving unit 413 for transmitting/receiving data with the interface unit 44. The transaction process terminal unit 5 includes a processing unit 51, an interface unit 52, a display 53, and a keyboard 54. The processing unit 51 includes an overall control unit 511 for controlling an overall portion of the terminal unit, a data transmitting/receiving unit 512 for transmitting/receiving data with the interface unit 33, a display processing unit 513 for controlling the display 53, and an input control unit 514 for controlling the keyboard 54.

In the information supply system, the central processing apparatus 6 includes a processing unit 61, a customer data base 62, and an interface unit 63. The processing unit 61 includes an overall control unit 611 for controlling an overall portion of the central processing apparatus, a retrieve processing unit 612 for retrieving customer data from the customer data base 62, and a data transmitting/receiving unit 613 for transmitting/receiving data with the interface unit 63. The distributed processing apparatus 7 includes a processing unit 71, a financial services file 72, a customer data base 73, and an interface unit 74. The processing unit 71 includes an overall control unit 711 for controlling an overall portion of the distributed processing apparatus, a file processing unit 712 for retrieving a financial service from the file 72 and customer data from data base 73, and also a data transmitting/receiving unit 713 for transmitting/receiving data with the interface unit 74. The information supply terminal apparatus 8 includes a processing unit 81, an interface unit 82, a display 83, and a keyboard

84. The processing unit 81 includes an overall control unit 811 for controlling an overall portion of the terminal apparatus, a data transmitting/receiving unit 812 for transmitting/receiving data with the interface unit 82, a display processing unit 813 for controlling the display 83, and an input control unit 814 for controlling the keyboard 54.

In Fig. 2, the customer data base 62 stores personal information of all customers who opened accounts with a financial institution, and the customer data base 43 or 73 of the distributed processing apparatus 4 or 7 stores, in principle, only a portion of the personal information of customers who opened accounts with the branch of the financial institution where the apparatus 4 or 7 is installed, namely personal information portion of only the customers who have financial accounts in the branch.

As shown in Fig. 3, a record of the customer data base for each customer has such columns as an identifier, a customer name, a group, characteristics, a transaction state, assets, and sales promotion. In the columns of the sales promotion, there is stored either a code, or the name of a financial service used for the sales promotion to the customer, e.g., a campaign service for a certain term. These are previously determined based on the customer's characteristics, transaction states, and assets of the customer (will be referred to a "customer attribute" as a general term). In case that there is no sales promotion to be recommendable for a customer, the columns of the sales promotion remain empty. Customers are grouped on the basis of life stages and/or life styles to obtain group codes of these customers, and these group codes are previously registered in the group column.

An identifier, a name, and an attribute of a customer are stored in the customer data base 43. An identifier, a name, a group, and a sales promotion service to a customer are stored in the customer data base 73. That is to say, the information stored in the customer data base 43 is different from that of the customer data base 73.

As represented in Fig. 4, the financial services files 42 and 72 have such columns of service numbers, service names, service contents of a term, a rate, etc. and conditions of customers for sales promotion. The customer condition implies a condition of a customer layer for a service to be provided. One or plural customer conditions are previously registered in the files 42 and 72 for each service. With these services files as well as the customer data bases, the same information may be stored in the files 42 and 72 of the distributed processing apparatuses 4 and 7. Otherwise, the different information may be distributed and stored into the files 42 and 72, depending upon the services.

Referring now to Figs. 5A and 5B, an operation of the integrated information processing system according to the embodiment of the present invention will be

described.

In the customer data base 62, for instance, financial services such as a campaign services for a certain term are previously stored in accordance with the customer attribute for the respective customers. In case that customer layers who can become promotion targets are clearly recognized, the customer conditions are previously stored in the services files for each service. Furthermore, the customers are previously grouped, if possible, based on a constant basis such as a life stage and a life style, and then the codes of the groups are registered into the respective customer records. When the customer data base is updated, the customer record is transferred via the communication network 9 to the distributed processing apparatuses 4 and 7 based on the branch of the financial institute where an account has been opened.

In case that a customer visits a branch of a financial institute to request a transaction process, a staff member at this financial institute branch performs the transaction process by utilizing the transaction process terminal unit, and at the same time, designates the retrieval of information about the financial services, so that the financial services to be promoted for the customer is displayed on the display of the terminal unit.

More specifically, the staff member at this branch designates a transaction screen from the keyboard 54 of the terminal unit 5, so that an image used to designate the content of this transaction as shown in Fig. 6A is represented on the display 53 under control of the overall control unit 511 (step 101). While looking the image, the staff member enters from the keyboard 54 both of the contents of the transaction such as the branch number, the deposit number, the transaction item, the transaction section, and amounts, and also a service information adding code for designating whether or not the financial services to be promoted to the customer should be displayed (step 102).

Under control of the control unit 511, the terminal unit 5 judges whether or not the adding code is designated (step 103). If this adding code is not designated, then the terminal unit 5 communicates with the central processing apparatus 3 via the distributed processing apparatus 4 using the customer data base 43, so that only the normal transaction process is carried out (step 130). If the adding code is designated, then after this transaction process, an image used to designate the retrieve condition of service information shown in Fig. 6B is displayed (step 104). While looking this image, the staff member inputs from the keyboard 54 the content of each item such as the code thereof with respect to a retrieval condition as the financial service, the customers and the files (step 105).

Under control of the control unit 511, the terminal unit 5 judges the entered retrieval conditions. When

the financial services corresponds to the campaign promotion, the customer corresponds to one coming into branch, and furthermore the file corresponds to the information supply system file (a process path defined by step 106, step 107 and step 108), this terminal unit 5 will communicate via the distributed processing apparatus 4 to which this terminal unit 5 is connected, with the distributed processing apparatus 7 of the information supply system 2, or with the central processing apparatus 6, if necessary. As a result, the terminal unit 5 retrieves a customer record from either the customer data base 73 or 62 to thereby read out the sales promotion set therein (step 109). A decision on which of the data bases 62 and 73 is to be searched, is performed on the basis of the branch number of the customer inputted at the previous step 102. In other words, if the branch number corresponds to this branch, the customer data base 73 of the distributed processing apparatus 7 is searched, whereas if the branch number corresponds to another branch, then the customer data base 62 in which all the customer records have been stored is searched. The sales promotion services which have been retrieved in the above-described manner, are represented on the display 53 under control of the control unit 51 of the terminal unit 5 (step 110).

Subsequently, the terminal unit 5 judges the retrieval condition entered at the above step 105, and communicates via the distributed processing apparatus 4 with the distributed processing apparatus 7 or the central processing apparatus 6 under control of the control unit 511 in case that the financial services condition is a specific one, the customer condition is an unspecified customer, and the file condition corresponds to the information supply system file (a process path defined by step 106, step 111 and step 112). Then, this terminal unit 5 retrieves the customer record in which the designated specific services has been set as the sales promotion services, from any one of these customer data base 73 and 62 (step 113), and displays a list of customer names on the display 53 (step 114). Also in this case, a decision on which of the customer data bases 62 and 73 is searched, is performed on the basis of the branch number of the customer which has been entered at the step 102. In case that the retrieval condition inputted at the step 105 is such that the financial service condition is a specific one, the customer has an account at another branch, and the file condition is the information supply system file (a process path defined by step 106, step 111, and step 115), all of the records of the customer data base 62 of the central processing apparatus 6 are searched (step 116), and then a list of customer names of the retrieved customer records in which the designated specific services have been set for the sales promotion, is displayed on the display 53 (step 117). It should be noted in this case that the customer records for a group of prede-

terminated branches may be searched.

Next, when the retrieval conditions inputted at the step 105 is given that no service is designated, the customer is such a customer who visits the branch of the financial institute, and the file corresponds to the information supply system file (a process path defined by step 106, step 118, and step 119), the terminal unit 5 will communicate with the distributed processing apparatus 7, and the central processing apparatus 6, if necessary, via the distributed processing apparatus 4 under control of the control unit 511. First, this terminal unit 5 reads out the customer attribute (i.e., customer characteristics, transaction state, and assets condition and so on) registered in the customer record for this customer from the customer data base 73 or 62, and thereafter compares the customer attribute with the sales possible customer conditions registered in the respective service records of the service file 72 to sequentially read out the names of financial services which can satisfy this condition (step 120), and also to display a list of the sales promotion services on the display 53 (step 121).

Then, when the retrieval condition inputted at the step 105 is such that no service is designated, the customer is an unspecified customer for the branch of this financial institute, and the file corresponds to the information supply system file (a process path defined by step 106, step 118, and step 122), the terminal unit 5 will communicate the distributed processing apparatus 7 and the central processing apparatus 6, if required, via the distributed processing apparatus 4 under control of the control unit 511 in order to retrieve the customer records which hold the same customer group code as the customer record for the customer having the account at the branch, from the customer data base 73, or 62 (step 1239), and also to display a list of this sales promotion services on the display 53 (step 124).

While the operation example of the information supply process to the customers according to the integrated information processing system of this embodiment has been described, if the transaction processing system file is designated as the objective file at the step 105 shown in Fig. 5A, a similar process to the above information supply process may be carried out by utilizing financial service file 42 and the customer data base 43 of the distributed processing apparatus 4. Alternatively, a careful service of supplying the financial information may be provided to customers under control of the overall control unit 811 by way of the information supply terminal unit 8 in a similar manner to that of the terminal unit 5.

As described above, the information about the financial service is outputted via the display processing unit on the display of the terminal unit. However, it would be apparent to a person skilled in the art that a voice processing unit and a speaker may be employed instead of, or in the addition to the above-

explained display processing unit and display unit. In this case, such a financial service information could be acoustically supplied to customers. Although the terminal unit 5 is operated by the staff member, a user may designate the contents of transaction by utilizing a card or the like through the terminal unit. In this case, the addition code is automatically required and the sales information is retrieved.

Claims

1. An information processing system comprising:
 - a personal data base including a plurality of personal records, each of said personal records containing a personal identifier and selectively assigned information predetermined based on personal attribute data;
 - a master file for storing a processing result; and
 - processing means responsive to a processing request containing a personal identifier, for performing said processing and updating said master file, for retrieving a personal record from said personal data base based on said personal identifier, and for supplying the assigned information of the retrieved personal record together with the processing result.
2. An information processing system according to claim 1, wherein each of said personal records further contains a personal name, and said processing means further includes means responsive to a retrieval request including the personal identifier, for retrieving personal records each of which has the same assigned information as that of a personal record containing the personal identifier, from said personal data bases and supplying the personal names of the retrieved personal records.
3. An information processing system according to claim 1, wherein same of said personal records further contain a group identifier, and said processing means further includes means for retrieving a personal record having the same group identifier as that having the personal identifier of the processing request when the personal record having the personal identifier do not include the assigned information, in response to said processing request, and for supplying the assigned information of the retrieved personal record, together with the processing result.
4. An information processing system comprising:
 - a personal data base including a plurality of personal records, each of said personal records containing an identifier of a person and at-

tribute data of the person;

a master file for storing a processing result;

information file for storing a condition with which the attribute data should satisfy, and information for said condition; and

processing means responsive to a processing request containing a personal identifier, for executing said processing and updating said master file, for retrieving a personal record data from said personal data base in accordance with said personal identifier, for retrieving information from said information file in accordance with attribute data of the retrieved personal record, and for supplying the retrieved information together with the processing result.

5. An integrated information processing system comprising:

a communication network;

an information supply host connected to said communication network, and including a master personal data base, for retrieving information from said master personal data base in response to an inputted retrieval command, thereby to output the retrieved information, said master personal data base including a plurality of personal records, and each of said personal records containing a personal identifier and selectively assigned personal information;

a processing host connected to said communication network, and including a master file to store a processing result, for updating said master file in response to an inputted update command, thereby outputting an updated result; and

a distributed processing apparatus installed at a branch, connected to said communication network and a terminal, including a branch personal data base, and responsive to a processing request inputted from said terminal, said branch personal data base including a plurality of personal records related to said branch and each of said personal records containing a personal identifier and selectively assigned personal information, said processing request containing the personal identifier, and said identifier containing information to identify said branch, said distributed processing apparatus executing a processing, for outputting the update command to said processing host, for judging whether or not said personal identifier is related to said branch, for retrieving said personal information from said branch personal data base in accordance with said personal identifier when it is judged that said personal identifier is related to said branch, for outputting the retrieval command to said information supply host to receive the retrieved personal information

when it is judged that said personal identifier is not related to said branch, and for supplying the retrieved personal information together with the processing result to said terminal in response to the update result received from the processing host.

6. An integrated information processing system according to claim 5, wherein each of said personal records contains a personal name, and said distributed processing apparatus further includes:

means for retrieving personal names if personal records each of which has the same information as said personal information having said personal identifier, from said branch personal data base in response to a retrieval command containing the personal identifier.

7. An integrated information processing system according to claim 5, wherein same of said personal records contains an identifier of a group, and said distributed processing apparatus further includes:

means for retrieving assigned information of a personal record which belongs to the same group as the retrieved personal record having said personal identifier said person belongs, from said branch personal data base in response to said processing request when retrieved personal record having said personal identifier does not include assigned information, and for supplying the retrieved information together with the processing result.

8. An integrated information processing system comprising:

a communication network;

an information supply host connected to said communication network, and including a master personal data base, said master personal data base including a plurality of personal records, and each of said personal records containing a personal identifier and the attribute information, for retrieving the attribute information from said master personal data base in response to an inputted retrieval command, to thereby output the retrieved attribute data;

a processing host connected to said communication network, and including a master file to store a processing result, for updating said master file in response to an inputted update command, thereby outputting an updated result; and

a distributed information supply apparatus installed at a certain business office and connected to said communication network and a terminal, comprising:

a business office personal data base in-

cluding a plurality of personal records related to said business office, each of said personal records containing a personal identifier and said attribute information;

5

an information file for storing a condition with which the attribute information should satisfy, and information which should be provided when said condition is satisfied;

a distributed processing apparatus connected to a terminal and responsive to a processing request inputted from said terminal, said processing request containing the personal identifier, and said identifier containing information to identify the business office, for executing a processing, for outputting the update command to said processing host, for judging whether or not said personal identifier is related to said business office, for retrieving said personal attribute data from said business office personal data base in accordance with said personal identifier when it is judged that said personal identifier is related to said business office, for outputting the retrieval command to said information supply host to receive the attribute information when said personal identifier is not related to said business office, for retrieving information from said information file in accordance with the retrieved attribute information, and for supplying the retrieved information together with the processing result to said terminal in accordance with the update result received from the processing host.

10

15

20

25

30

35

40

45

50

55

FIG. 1




FIG. 2




FIG. 3

CUSTOM- ER NO.	CUSTOM- ER NAME	GROUP	ATTRIBUTE					SALES PROMOTION		
			CHARACTERISTICS		TRANSACTION		ASSETS	MMC	CARD	PENSION
			SEX	AGE	--	DEPOSIT				
001										
002										
003										
004										
005										

FIG. 4

SERVICE FILE

SERVICE NO.	SERVICE NAME	SERVICE CONTENT			CONDITION 1	CONDITION 2
		TERM	RATE OF INTEREST			
001					AGE \geq 60 YEARS OLD DEPOSIT \geq 1 MILLION YEN	
002						
003						
004						

FIG. 5A




FIG. 5B




FIG. 6A

DESIGNATION FOR TRANSACTION CONTENT		
1. BRANCH NUMBER + ACCOUNT NUMBER	_____	
2. TRANSACTION ITEM	_____	
3. TRANSACTION SECTION	_____	
4. AMOUNT	_____	
5. SALES INFORMATION ADDITION	<u>REQUIRED</u>	<u>NOT REQUIRED</u>

FIG. 6B

DESIGNATION FOR SALES INFORMATION RETRIEVAL		
1. SERVICE		
<u>a. PROMOTION</u>	<u>b. SPECIFIC SERVICE NAME</u>	<u>c. NO DESIGNATION</u>
2. CUSTOMER		
<u>a. CUSTOMER NAME</u>	<u>b. BRANCH</u>	<u>c. ANOTHER BRANCH</u>
3. FILE		
<u>a. INFORMATION SUPPLY SYSTEM FILE</u>	<u>TRANSACTION PROCESS b. SYSTEM FILE</u>	